

Product label

TECH FLO[®] NUTRICOP 20

20.0% Copper

TECH-FLO NUTRICOP 20 is a chemically reacted, neutral, micronized powder formulated as a flowable dispersion for use as a foliar spray.

GUARANTEED ANALYSIS

Copper (Cu).....20.0%
Copper derived from basic copper sulfate.

GENERAL RECOMMENDATIONS

AS A NUTRITIONAL SPRAY: SEE SUGGESTED USES

DILUTION: Apply the suggested rates of TECH-FLO NUTRICOP 20 in the following amounts of water per acre:

Field & Row Crops: By air: 3-20 gals. By ground: 10 gals. minimum

Tree Crops: By air: 10 gals. minimum. By ground concentrate: 40-100 gals. By ground dilute: 100-500 gals.

In oil sprays, use 1-4 pints per 100 gallons

COMPATIBILITY: This product has been designed to be compatible with most commonly used insecticides, fungicides and acaricides. However, it is not feasible to test all possible combinations of pesticides with which it may be mixed. A compatibility test is recommended for combinations that have not been used previously. Do not mix with strongly acidic materials as injury from soluble copper may result (see additional restrictions under SUGGESTED USES). Consult your NUTRI-TECH representative for detailed compatibility information

CAUTION: Causes skin irritation. Avoid contact with skin, eyes, open cuts or sores. In case of contact, flush with water. Get medical attention for eyes.

CAUTION
KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED

This product has been registered with the Washington State Department of Agriculture. When applied as directed, this fertilizer meets the Washington standards for arsenic, cadmium, cobalt, mercury, molybdenum, lead, nickel, selenium and zinc. You have the right to receive specific information about Washington standards from the distributor of this product.

SHAKE WELL BEFORE USING

ADEQUATE AGITATION SHOULD BE MAINTAINED AT ALL TIMES DURING MIXING AND APPLICATION

SUGGESTED USES:

Alfalfa, Hay & Other Forage Crops - Apply 1-4 pints over spring growth, repeat after each cutting.

Almonds - Apply 1-4 pints at 2-3 week intervals starting pre-bloom.

Apples, Pears - Apply 2-4 pints at 2-4 week intervals starting pre-bloom. **CAUTION:** Do not apply strongly acidic materials with, less than 7 days prior to, or 14 days after application of this product.

Barley, Oats, Rice, Wheat & Other Small Grains - Apply 1-4 pints at tillering, repeat at early boot if necessary.

Beans, Peas, & related Legumes - Apply 1-4 pints at early bud, repeat after bloom if necessary.
Cabbage, Cauliflower, Broccoli, Brussels Sprouts & Other Cole Crops - Apply 1-4 pints as needed after thinning or transplant.
Carrots, Onions, Radishes, Beets & Other Vegetable Root Crops - Apply 1-4 pints when top growth is 4-8" high, repeat as necessary.
Citrus, Avocados - Apply 2-4 pints in spring, summer, and fall sprays.
Corn, Field & Sweet - Apply 1-4 pints when 10-20" high, repeat in 2-4 weeks as necessary.
Cotton - Apply 1-4 pints at first square, repeat in 2-4 weeks as necessary.
Cucumbers, Melons, Squash & Other Cucurbits - Apply 1-4 pints prebloom, repeat in 2-4 weeks as necessary.
Grapes - Apply 1-4 pints dormant or as needed pre-bloom to post-bloom.
Hops - Apply 1-4 pints as needed in cover sprays.
Lettuce, Celery, Spinach & Other Green Leafy Vegetables - Apply 1-4 pints as needed after thinning and transplant.
Mint - Apply 1-4 pints over new growth, repeat as needed.
Peaches, Plums, Cherries & Other Stone Fruits - Apply 1-4 quart pre-bloom and at 3-4 week intervals as needed post-bloom
Peanuts - Apply 1-4 pints at early bloom and just prior to pegging.
Pecans & Other Deciduous Nut Trees - Apply 1-4 pints at 3-4 week intervals starting at bud break.
Ornamentals, Trees & Shrubs - Apply 1-4 pints at 4-6 week intervals as needed.
Potatoes - Apply 1-4 pints at tuber initiation, repeat in 2-4 weeks as necessary.
Raspberries, Blackberries, Blueberries & Other Small Fruit- Apply 1-4 pints pre-bloom, repeat in 2-4 weeks as necessary.
Soybeans, Seed Crops - Apply 1-4 pints pre-bloom, repeat in 2-4 weeks as necessary.
Sugarbeets - Apply 1-4 pints at 4th-6th leaf, repeat in 2-4 weeks as necessary.
Strawberries - Apply 1-4 pints pre-bloom, repeat in 2-4 weeks as necessary.
Tomatoes, Peppers, Eggplant & Okra - Apply 1-4 pints pre-bloom, repeat in 2-4 weeks as necessary.
Turf (Farms) - Apply 1-4 pints at 4-6 week intervals as needed.
Walnuts - Apply 1-4 pints in blight sprays.

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used according to directions under normal conditions on the crops specified. Because of widely varying use conditions, it is impossible to eliminate all risks even when the label directions are followed. Therefore, the manufacturer makes no other warranties, expressed or implied. The buyer assumes all risks associated with the use of this product. In the event of damage resulting from a breach of warranty, the buyer agrees to accept rotund of the purchase price as full discharge of the manufacturer's liability.

NUTRIENT TECHNOLOGIES, INC
DINUBA, CA 93618

NET CONTENTS: 5 GALLONS (18.925 LITERS)
NET WT 60.0 LB.

©1997. Nutrient Technologies, Inc.